


4-CHANNEL WIFI AND BLUETOOTH AUDIO AMPLIFIER Model: TIS-2PL-WF

Data Sheet Rev 3.1



OVERVIEW

TIS-2PL-WF is a compact 4 x 60W amplifier with WiFi, Bluetooth, USB, and AUX inputs. It is designed to turn the traditional passive speakers into multifunctional wireless speakers.





SMART AUDIO STREAMER 4-CHANNEL WIFI AND BLUETOOTH AUDIO AMPLIFIER Model: TIS-2PL-WF



TIS

PRODUCT SPECIFICATIONS			
0	input	Input voltage of the power adaptor Audio inputs Line input sensitivity	100-240VAC, 50/60Hz WiFi,Bluetooth, USB, AUX 500mV
Ţ	Outputs	Output Power	60Wx4 @4ohm ; 30Wx4 @8ohm
"	Music	SNR Frequency range Impedance	94dB 20-20KHz 4-8 ohm
Q	Mounting	Table Top	On table or any surface
	Operation	Link/Power button Upgrading	Connection to network Micro USB or by Internet / LAN or RS485
Ô	Weight	Without packaging	1.3 kg
	Dimensions	Without package With package	280mm x 200mm x 44mm 425mm x 285mm x 375mm
÷	Housing	Materials Casing color IP rating	Aluminum alloy Black IP 20
l	Temperature range	Operation Storage Transport	-1050°C -2050°C -2575°C
8	Air humidity		<85% non-condensing



Copyright © 2025 TIS, All Rights Reserved TIS Logo is registered trademark of TIS CONTROL. All of the specification are subject to change without notice. TIS CONTROL PTY LIMITED SA , AUSTRALIA TIS CONTROL LIMITED Wanchai, Hong Kong


www.tiscontrol.com

SMART AUDIO STREAMER 4-CHANNEL WIFI AND BLUETOOTH AUDIO AMPLIFIER Model: TIS-2PL-WF



*** **=** : : : : : : () ()

TIS



280mm



Copyright © 2025 TIS, All Rights Reserved TIS Logo is registered trademark of TIS CONTROL. All of the specification are subject to change without notice. TIS CONTROL PTY LIMITED SA , AUSTRALIA **TIS CONTROL LIMITED** Wanchai, Hong Kong

www.tiscontrol.com