



TIS SATURN 101

10" Touch Screen Interface

Data Sheet Rev 3.2

Model: TIS-SAT-101



OVERVIEW


This Android-operated product with touch interface installed indoors for a modern and convenient control over building's access points.

KEY BENEFITS

- + PoE supported
- + Home automation touch screen
- + Advanced security & access control

KEY FEATURES

- ★ 10" Capacitive touch screen
- ★ High-quality microphone, speaker
- ★ Equipped with 2GB RAM & flash memory




BARCODE (UPC-A)



TIS SATURN 101

10" Touch Screen Interface

Model: TIS-SAT-101



PRODUCT SPECIFICATIONS

Input	SD	Support SD card (Max 32G)
	Mini USB	Mini USB OTG (USB Type C when with RK3399)
	USB Host x 2	Standard, with POE
	DC	DC input
	Headset	3.5mm stereo headphone output
Display	screen	10.1 inch IPS touch screen
	resolution	1280 × 800
	Contrast	900:1
	Brightness	500nit
	Screen scale/Display area	16:10 / Display area : 218 × 135mm
Operation	RAM	2 GB
	ROM	16 GB
Network	WiFi	802.11b/g/n
	Ethernet	Support
	Bluetooth	Bluetooth 4.0
	3G	Support external 3G USB dongle
Multimedia	Video	MPEG-1, MPEG-2, MPEG-4, H.263, H.264, VC1, RV etc., support up to 1080p
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
	Speaker	2W × 2
Weight	Without packaging	650g
Dimensions	Length × Width × Height	260.54mm×178.54mm×25.5mm
Temperature Range	working	0°C - 70°C
	Storage	-10°C ~ 40°C
Air humidity		0%~95%RH



Copyright © 2024 TIS, All Rights Reserved

TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.


TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong

TIS SATURN 101

10" Touch Screen Interface

Model: TIS-SAT-101



Copyright © 2024 TIS, All Rights Reserved
TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.

TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong